


麦 米

AI

系列




AI

AI

AI



3C

AI




AI


“ AI ”



AI



PLC



+


PLC

CScan





	AIF-RC		AIF-SC		AIF-SS		
	400 /min (6 /s)		600 /min (10 /s)		200 /min (3 /s)		
	1.8m/s		2.5m/s		1m/s		
	0.086mm/pixel @ 300mm		0.169mm/pixel @ 300mm		0.147mm/pixel @ 300mm		
		AI					
		100M Ethernet					
		3	24VDC				
		5~24VDC					
		3	24VDC				
		25MA	0.1MA	0.8V			
		1	RS-232C				
		1200 2400 4800 9600 19200 38400 57600 115200					
		24VDC 10%					
		7W					
			TRIG TUNE				
		, , 3 , (NG) (OK) ()					
		IP67					
/		0-50°C, -20 70°C					
		66 x 48 x 44 (mm)					
		290G					
		3m	,	3m	5m /	10m /	
		45 x 34 mm)					
		24 VDC					


mm




CS-ACS-01



()



3m		CS-3M-HF
5m		CS-5M-ST
5m		CS-5M-HF
10m		CS-10M-ST
10m		CS-10M-HF



: () 252.5mm* () 155.8mm


CS-CP100
WIFI/4G

AC
24V VDC




AIF-RC

(mm)	H (mm)	V (mm)	(mm/pixel)
60	42	35	0.017
100	70	59	0.029
200	140	118	0.058
300	210	177	0.086
600	420	353	0.173
1000	699	589	0.288




AIF-SC

(mm)	H (mm)	V (mm)	(mm/pixel)
60	38	32	0.033
100	64	54	0.057
200	127	107	0.114
300	191	161	0.169
600	382	321	0.339
1000	635	535	0.564



AIF-SS

(mm)	H (mm)	V (mm/pixel)	(mm)
40	25	20	0.020
100	63	50	0.049
200	126	101	0.098
300	189	151	0.147
600	377	302	0.295
1000	628	503	0.491



MEGMEET
麦 米 电 气

 CAIJU TECHNOLOGY
才炬科技

www.caijutech.com